



Advanced Stackable Home Battery Unit Unlocking The Potential Of Household Energy Independence

Basic Information

Place of Origin: ChinaBrand Name: XWELL

• Certification: UN38.3,MSDS,UL,CB,BIS,PSE,GB4943.1

safety standard, CE, FCC, ROHS, battery

UN38.3, MSDS, UL, CB, BIS, PSE

• Model Number: XW-HL1536

Minimum Order Quantity: 1 pcsPackaging Details: Carton

• Delivery Time: 7-10 working days

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

Supply Ability: 5000 pcs per month



Product Specification

• Smple Figure: 1、2、3、4、5、6 Mdl

Capability: 5-30kwh
Battery Cell Arrangement: 1-6s
Network Weight: 206.5kg
Voltage: 48V
Apparent Voltage: 48V
Battery Cell Type: LiFePO4
Evaluated Working Current: 100A

• Communication CAN/RS485/RS232

AC110V/220V/50Hz/60Hzmethod:

Instalment Method: Floor Installation

Highlight: Unlocking Potential Stackable Home Battery,

Advanced Stackable Home Battery,

Household Energy Independence Stackable

Home Battery

Product Description

OEM Lithium Batterie Lifepo4 Home Energy Storage System High-Voltage And Low-Voltage Stacking

Product Characteristics of Stackable Home Battery

The stackable design allows multiple battery units to be easily combined, enabling users to customize the storage capacity according to their specific requirements. Whether it's for powering essential appliances during a blackout, storing excess solar energy generated by rooftop panels, or simply reducing reliance on the grid during peak demand hours, this battery system offers versatility and convenience.

With its user-friendly interface, monitoring and control of the battery is a breeze. You can easily track your energy usage and manage the battery's functions from your smartphone or computer.

This battery is highly efficient, capable of storing and providing power when you need it most. Whether it's for backup during power outages or to optimize your home's energy consumption, the Stackable Home Battery has you covered.


Available in many places Stackable Home Battery

Scope of application: household energystorage, communication base station, industrial energy storage mobile energy storage, field campingphotovoltaic energy storage, etc

Stackable Home Battery Specification

Model	1 Module	2 Modules	3 Modules	4 Modules	5 Modules	6 Modules
Nominal capacity(kwh)	5.12	10.24	15.36	20.48	25.6	30.72
Operating voltage	48V					
Weight (Kg)	96.5	151.5	206.5	261.5	316.5	371.5
Nominal voltage	48V					
Dimension (mm)	600x460x 457	600x460x 637	600x460x 817	600x460x 997	600x460x 1177	600x460x 1357
Battery cell type	LiFePO4					
Communication method	CAN/RS485/RS232					
Operating temperature range	Charging: 0~45 Discharging: -10~50					
Protection level	IP55					
Installation method	Floor installation					
Cycle life	>6000 Cycles(80%DOD)					
Peak charge/discharge current (@25 ,5S)	100A					
Self-discharge rate	≤3.5%/month/@25°C					
Parallel function	1S~6S					

Stackable Home Battery Connection Diagram



FAQ

- 1. Q: Are you a manufacturer?
- A: Yes, we have been offering specialized products in this field for 20 years.
- 2. Q: How do you pack these products?
- A: Usually packed according to export standard or your requirement.
- 3. Q: Is it customizable?
- A: Yes, according to your requirements.
- 4. Q: After-sales service

- A: 24-hour technical support by phone, email or skype 5. Q: What is your lead time?
- A: Spot goods usually take 3-5 days, and customization takes 5-7 days



XWELL GUANGDONG XWELL TECHNOLOGY CO., LTD.



+86 18620492985



sales@esslithiumbattery.com



esslithiumbattery.com

Room 322, Building 3, No. 801, Qiaoxing Avenue, Xiaoluo Village, Shatou Street, Panyu District, Guangzhou, China